




0.94	0.45	14.55	0.22	-13.21	-0.41
0.06	0.05	2.10	0.04	-0.55	-0.01
	0.03		0.03		-0.02
0.22	0.16	5.05	0.09	-3.50	-0.08
	0.10		0.08		-0.11




D	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.56</b>			<b>60.96</b>			<b>39.04</b>		
Phase 2	<b>1.86</b>			<b>65.04</b>			<b>34.96</b>		
Phase 3	<b>1.47</b>	-0.30	-0.19	<b>59.49</b>	-4.08	-0.07	<b>40.51</b>	4.08	0.10
Phase 4	<b>1.44</b>	0.09	0.06	<b>58.93</b>	1.47	0.02	<b>41.07</b>	-1.47	-0.04
		0.39	0.21		5.56	0.09		-5.56	-0.16
			0.25			0.09			-0.14
		0.13	0.08		2.03	0.03		-2.03	-0.05
		0.43	0.23		6.11	0.09		-6.11	-0.17
			0.27			0.10			-0.16
		0.03	0.02		0.55	0.01		-0.55	-0.01
			0.02			0.01			-0.01




E	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.36</b>			<b>25.06</b>			<b>70.48</b>		
Phase 2	<b>0.22</b>			<b>17.33</b>			<b>79.88</b>		
Phase 3	<b>0.52</b>	0.14	0.39	<b>27.07</b>	7.73	0.31	<b>51.86</b>	-9.40	-0.13
Phase 4	<b>0.55</b>	-0.17	-0.47	<b>31.24</b>	-2.01	-0.08	<b>56.69</b>	18.61	0.26
		-0.31	-1.41		-9.74	-0.56		28.01	0.35
			-0.86			-0.39			0.40
		-0.20	-0.55		-6.18	-0.25		13.78	0.20
		-0.33	-1.54		-13.92	-0.80		23.18	0.29
			-0.94			-0.56			0.33
		-0.03	-0.06		-4.17	-0.15		-4.83	-0.09
			-0.08			-0.17			-0.07



F	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>3.12</b>			<b>73.46</b>			<b>23.55</b>		




Phase 2	<b>4.63</b>			<b>81.33</b>			<b>17.55</b>		
	-1.51	-0.49			-7.87	-0.11		6.00	0.25
Phase 3	<b>1.70</b>			<b>60.86</b>			<b>35.78</b>		
	1.42	0.45			12.60	0.17		-12.23	-0.52
	2.93	0.63			20.47	0.25		-18.23	-1.04
		0.94				0.28			-0.77
Phase 4	<b>1.38</b>			<b>56.11</b>			<b>40.55</b>		
	1.74	0.56			17.35	0.24		-16.99	-0.72
	3.25	0.70			25.22	0.31		-22.99	-1.31
		1.04				0.34			-0.98
	0.32	0.19			4.76	0.08		-4.77	-0.13
		0.10				0.06			-0.20



G	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%	
Phase 1	<b>0.54</b>			<b>34.33</b>			<b>64.08</b>			
Phase 2	<b>1.05</b>			<b>50.43</b>			<b>47.81</b>			
		-0.52	-0.97			-16.10	-0.47		16.27	0.25
Phase 3	<b>0.58</b>			<b>35.74</b>			<b>61.77</b>			
		-0.04	-0.08			-1.41	-0.04		2.31	0.04
		0.48	0.45			14.69	0.29		-13.95	-0.29
			0.89				0.43			-0.22
Phase 4	<b>1.59</b>			<b>59.40</b>			<b>37.29</b>			
		-1.06	-1.97			-25.07	-0.73		26.79	0.42
		-0.54	-0.51			-8.97	-0.18		10.53	0.22
			-1.00				-0.26			0.16
		-1.01	-1.75			-23.66	-0.66		24.48	0.40
			-1.89				-0.69			0.38



H	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%	
Phase 1	<b>1.42</b>			<b>43.29</b>			<b>30.38</b>			
Phase 2	<b>1.29</b>			<b>55.90</b>			<b>43.18</b>			
		0.13	0.09			-12.62	-0.29		-12.80	-0.42
Phase 3	<b>1.52</b>			<b>59.34</b>			<b>39.04</b>			
		-0.09	-0.07			-16.05	-0.37		-8.67	-0.29
		-0.23	-0.17			-3.44	-0.06		4.13	0.10
			-0.16				-0.08			0.14
Phase 4	<b>0.68</b>			<b>39.82</b>			<b>58.55</b>			
		0.74	0.52			3.47	0.08		-28.17	-0.93
		0.61	0.47			16.08	0.29		-15.37	-0.36
			0.43				0.37			-0.51




0.84	0.55	19.52	0.33	-19.50	-0.50
	0.59		0.45		-0.64




	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	5.14			82.37			16.03		
Phase 2	8.61			88.37			10.32		
Phase 3	8.44	-3.47	-0.68	88.69	-6.00	-0.07	10.51	5.71	0.36
Phase 4	5.55	-3.30	-0.64	84.36	-6.31	-0.08	15.20	5.52	0.34
		0.17	0.02		-0.31	0.00		-0.19	-0.02
			0.03			0.00			-0.01
		-0.41	-0.08		-1.99	-0.02		0.83	0.05
		3.06	0.36		4.01	0.05		-4.88	-0.47
			0.60			0.05			-0.30
		2.89	0.34		4.33	0.05		-4.69	-0.45
			0.56			0.05			-0.29








	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	1.02			49.36			48.21		
Phase 2	0.44			28.11			63.87		
Phase 3	0.97	0.58	0.57	47.99	21.25	0.43	49.23	-15.66	-0.32
Phase 4	0.36	0.05	0.05	25.79	1.37	0.03	70.66	-1.02	-0.02
		-0.53	-1.21		-19.88	-0.71		14.64	0.23
			-0.52			-0.40			0.30
		0.66	0.64		23.58	0.48		-22.44	-0.47
		0.08	0.17		2.33	0.08		-6.78	-0.11
			0.07			0.05			-0.14
		0.61	0.63		22.21	0.46		-21.42	-0.44
			0.60			0.45			-0.44



	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	2.21			68.27			30.93		
Phase 2	1.90			64.74			33.99		
Phase 3	2.60	0.30	0.14	71.35	3.53	0.05	27.43	-3.06	-0.10






O	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.43</b>			<b>56.56</b>			<b>39.67</b>		
Phase 2	<b>2.14</b>			<b>66.81</b>			<b>31.29</b>		
Phase 3	<b>0.78</b>	-0.71	-0.50	<b>39.68</b>	-10.25	-0.18	<b>50.55</b>	8.38	0.21
		0.64	0.45		16.89	0.30		-10.88	-0.27
		1.35	0.63		27.14	0.41		-19.26	-0.62
Phase 4	<b>1.31</b>	0.95		<b>54.42</b>	0.48		<b>41.68</b>	-0.49	
		0.12	0.08		2.14	0.04		-2.01	-0.05
		0.83	0.39		12.39	0.19		-10.39	-0.33
		0.58			0.22			-0.26	
		-0.52	-0.66		-14.75	-0.37		8.87	0.18
		-0.37			-0.26			0.22	




P	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.31</b>			<b>22.55</b>			<b>72.95</b>		
Phase 2	<b>0.38</b>			<b>25.44</b>			<b>67.52</b>		
Phase 3	<b>0.32</b>	-0.07	-0.22	<b>24.05</b>	-2.89	-0.13	<b>74.02</b>	5.43	0.07
		-0.02	-0.05		-1.49	-0.07		-1.07	-0.01
		0.05	0.14		1.39	0.05		-6.50	-0.10
Phase 4	<b>0.39</b>	0.17		<b>27.71</b>	0.06		<b>71.44</b>	-0.09	
		-0.08	-0.25		-5.16	-0.23		1.51	0.02
		-0.01	-0.03		-2.28	-0.09		-3.93	-0.06
		-0.04			-0.10			-0.05	
		-0.06	-0.19		-3.67	-0.15		2.58	0.03
		-0.20		-0.16		0.04			




Q	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.58</b>			<b>58.15</b>			<b>36.69</b>		
Phase 2	<b>1.34</b>			<b>54.07</b>			<b>40.41</b>		
Phase 3	<b>0.82</b>	0.25	0.16	<b>38.88</b>	4.08	0.07	<b>47.35</b>	-3.72	-0.10
		0.76	0.48		19.27	0.33		-10.66	-0.29
		0.52	0.39		15.19	0.28		-6.94	-0.17
		0.33			0.26			-0.19	




Phase 4	<b>0.70</b>			<b>38.41</b>			<b>54.60</b>		
	0.88	0.56		19.73	0.34		-17.92	-0.49	
	0.63	0.47		15.65	0.29		-14.19	-0.35	
		0.40			0.27			-0.39	
	0.12	0.14		0.46	0.01		-7.25	-0.15	
		0.07			0.01			-0.20	



R	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%		
Phase 1	<b>10.78</b>			<b>90.56</b>			<b>8.40</b>				
Phase 2	<b>11.03</b>			<b>91.07</b>			<b>8.26</b>				
		-0.25	-0.02			-0.51	-0.01		0.14	0.02	
Phase 3	<b>4.76</b>			<b>80.60</b>			<b>16.92</b>				
		6.02	0.56			9.95	0.11		-8.52	-1.01	
		6.26	0.57			10.47	0.11		-8.66	-1.05	
			0.58				0.12			-1.03	
Phase 4	<b>5.36</b>			<b>83.21</b>			<b>15.52</b>				
		5.42	0.50			7.35	0.08		-7.12	-0.85	
		5.66	0.51			7.86	0.09		-7.26	-0.88	
			0.53				0.09			-0.86	
		-0.60	-0.13			-2.61	-0.03		1.40	0.08	
			-0.06				-0.03			0.17	




S	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%		
Phase 1	<b>0.37</b>			<b>19.10</b>			<b>51.56</b>				
Phase 2	<b>0.23</b>			<b>12.26</b>			<b>52.79</b>				
		0.14	0.37			6.84	0.36		-1.24	-0.02	
Phase 3	<b>2.24</b>			<b>68.10</b>			<b>30.40</b>				
		-1.87	-5.05			-49.00	-2.57		21.16	0.41	
		-2.01	-8.65			-55.84	-4.56		22.39	0.42	
			-5.42				-2.92			0.43	
Phase 4	<b>1.63</b>			<b>61.07</b>			<b>37.50</b>				
		-1.26	-3.40			-41.97	-2.20		14.05	0.27	
		-1.40	-6.01			-48.81	-3.98		15.29	0.29	
			-3.77				-2.56			0.30	
		0.61	0.27			7.03	0.10		-7.10	-0.23	
			1.65				0.37			-0.14	




T	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
---	-------	------	---	----	------	---	----	------	---

T	LF/HF	Diff	%
---	-------	------	---


Phase 1	<b>0.20</b>			<b>16.50</b>			<b>81.89</b>		
Phase 2	<b>0.08</b>			<b>7.25</b>			<b>91.39</b>		
Phase 3	<b>0.17</b>	0.12	0.61	<b>14.43</b>	9.26	0.56	<b>83.88</b>	-9.50	-0.12
		0.03	0.15		2.08	0.13		-1.99	-0.02
		-0.09	-1.17		-7.18	-0.99		7.51	0.08
			-0.46			-0.44			0.09
Phase 4	<b>0.35</b>			<b>25.68</b>			<b>72.90</b>		
		-0.15	-0.75		-9.18	-0.56		8.99	0.11
		-0.27	-3.44		-18.44	-2.54		18.49	0.20
			-1.35			-1.12			0.23
		-0.18	-1.05		-11.26	-0.78		10.97	0.13
			-0.89			-0.68			0.13





U	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.37</b>			<b>26.59</b>			<b>72.81</b>		
Phase 2	<b>0.19</b>			<b>15.80</b>			<b>84.20</b>		
Phase 3	<b>0.42</b>	0.18	0.49	<b>29.34</b>	10.79	0.41	<b>70.66</b>	-11.39	-0.16
		-0.05	-0.14		-2.75	-0.10		2.15	0.03
		-0.23	-1.21		-13.54	-0.86		13.54	0.16
			-0.62			-0.51			0.19
Phase 4	<b>0.42</b>			<b>29.07</b>			<b>69.59</b>		
		-0.06	-0.16		-2.48	-0.09		3.22	0.04
		-0.23	-1.25		-13.27	-0.84		14.61	0.17
			-0.64			-0.50			0.20
		-0.01	-0.02		0.27	0.01		1.07	0.02
			-0.02			0.01			0.01




V	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.26</b>			<b>53.51</b>			<b>42.56</b>		
Phase 2	<b>1.05</b>			<b>48.14</b>			<b>45.94</b>		
Phase 3	<b>0.54</b>	0.21	0.17	<b>26.78</b>	5.36	0.10	<b>49.54</b>	-3.38	-0.08
		0.72	0.57		26.73	0.50		-6.99	-0.16
		0.51	0.48		21.36	0.44		-3.60	-0.08
			0.40			0.40			-0.08
Phase 4	<b>0.59</b>			<b>26.07</b>			<b>43.85</b>		
		0.66	0.53		27.44	0.51		-1.29	-0.03
		0.45	0.43		22.07	0.46		2.09	0.05









W	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.20</b>			<b>52.70</b>			<b>43.98</b>		
Phase 2	<b>1.15</b>			<b>52.72</b>			<b>45.72</b>		
Phase 3	<b>0.58</b>	0.05	0.04	<b>36.28</b>	-0.01	0.00	<b>62.10</b>	-1.74	-0.04
Phase 4	<b>1.12</b>	0.61	0.51	<b>51.41</b>	16.42	0.31	<b>45.70</b>	-18.12	-0.41
		0.57	0.49		16.44	0.31		-16.39	-0.36
			0.47			0.31			-0.37
		0.07	0.06		1.30	0.02		-1.72	-0.04
		0.03	0.02		1.31	0.02		0.02	0.00
			0.02			0.02			0.00
		-0.54	-0.93		-15.13	-0.42		16.41	0.26
			-0.45			-0.29			0.37




X	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.98</b>			<b>40.72</b>			<b>41.58</b>		
Phase 2	<b>1.59</b>			<b>51.46</b>			<b>32.35</b>		
Phase 3	<b>1.11</b>	-0.61	-0.62	<b>50.40</b>	-10.74	-0.26	<b>45.37</b>	9.23	0.22
Phase 4	<b>1.36</b>	-0.13	-0.13	<b>55.45</b>	-9.68	-0.24	<b>40.82</b>	-3.80	-0.09
		0.48	0.30		1.06	0.02		-13.03	-0.40
			0.49			0.03			-0.31
		-0.38	-0.39		-14.73	-0.36		0.75	0.02
		0.23	0.15		-3.99	-0.08		-8.47	-0.26
			0.24			-0.10			-0.20
		-0.25	-0.22		-5.05	-0.10		4.55	0.10
			-0.25			-0.12			0.11




Z	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>3.94</b>			<b>79.01</b>			<b>20.04</b>		
Phase 2	<b>2.77</b>			<b>73.11</b>			<b>26.43</b>		
		1.18	0.30		5.90	0.07		-6.39	-0.32




Phase 3	<b>1.59</b>			<b>60.74</b>			<b>38.32</b>		
	2.36	0.60			18.28	0.23		-18.28	-0.91
	1.18	0.43			12.38	0.17		-11.89	-0.45
Phase 4	<b>1.03</b>			<b>50.36</b>			<b>48.84</b>		
		0.30				0.16			-0.59
	2.91	0.74			28.65	0.36		-28.80	-1.44
	1.73	0.63			22.75	0.31		-22.41	-0.85
		0.44				0.29			-1.12
	0.55	0.35			10.37	0.17		-10.52	-0.27
		0.14				0.13			-0.52



aa	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>1.28</b>			<b>47.97</b>			<b>37.37</b>		
Phase 2	<b>1.16</b>			<b>50.19</b>			<b>43.09</b>		
		0.12	0.09		-2.21	-0.05		-5.72	-0.15
Phase 3	<b>0.58</b>			<b>34.59</b>			<b>60.02</b>		
		0.71	0.55		13.38	0.28		-22.66	-0.61
		0.59	0.51		15.60	0.31		-16.94	-0.39
		0.46				0.33			-0.45
Phase 4	<b>0.66</b>			<b>34.02</b>			<b>51.50</b>		
		0.62	0.49		13.95	0.29		-14.13	-0.38
		0.50	0.43		16.17	0.32		-8.42	-0.20
		0.39				0.34			-0.23
		-0.08	-0.15		0.57	0.02		8.52	0.14
		-0.07				0.01			0.23



bb	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.85</b>			<b>45.92</b>			<b>54.08</b>		
Phase 2	<b>0.97</b>			<b>49.27</b>			<b>50.73</b>		
		-0.12	-0.14		-3.35	-0.07		3.35	0.06
Phase 3	<b>1.58</b>			<b>61.30</b>			<b>38.70</b>		
		-0.73	-0.87		-15.38	-0.33		15.38	0.28
		-0.61	-0.63		-12.03	-0.24		12.03	0.24
		-0.72				-0.26			0.22
Phase 4	<b>1.21</b>			<b>54.75</b>			<b>45.25</b>		
		-0.36	-0.42		-8.83	-0.19		8.83	0.16
		-0.24	-0.25		-5.47	-0.11		5.47	0.11
		-0.28				-0.12			0.10
		0.37	0.24		6.55	0.11		-6.55	-0.17
		0.44				0.14			-0.12



phase 4 

cc	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.32</b>			<b>22.41</b>			<b>69.92</b>		
Phase 2	<b>0.66</b>			<b>37.80</b>			<b>56.98</b>		
Phase 3	<b>0.33</b>	-0.34	-1.07	<b>23.07</b>	-15.39	-0.69	<b>69.29</b>	12.94	0.19
		-0.01	-0.04		-0.66	-0.03		0.63	0.01
		0.33	0.50		14.73	0.39		-12.31	-0.22
Phase 4	<b>0.57</b>	1.03		<b>33.59</b>	0.66		<b>59.41</b>	-0.18	
		-0.24	-0.76		-11.18	-0.50		10.50	0.15
		0.10	0.15		4.21	0.11		-2.43	-0.04
		0.31				0.19			-0.03
		-0.23	-0.70		-10.53	-0.46		9.87	0.14
		-0.73			-0.47				0.14

cc	LF/HF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

cc	LF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

cc	HF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

dd	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.33</b>			<b>24.13</b>			<b>74.11</b>		
Phase 2	<b>0.43</b>			<b>29.57</b>			<b>69.26</b>		
Phase 3	<b>0.80</b>	-0.10	-0.31	<b>43.19</b>	-5.43	-0.23	<b>54.03</b>	4.85	0.07
		-0.47	-1.45		-19.06	-0.79		20.08	0.27
		-0.37	-0.87		-13.63	-0.46		15.23	0.22
Phase 4	<b>0.52</b>	-1.14		<b>33.39</b>	-0.56		<b>64.67</b>	0.21	
		-0.19	-0.59		-9.25	-0.38		9.44	0.13
		-0.09	-0.21		-3.82	-0.13		4.59	0.07
		-0.27				-0.16			0.06
		0.28	0.35		9.81	0.23		-10.64	-0.20
		0.87		0.41		-0.14			

dd	LF/HF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				






dd	LF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

dd	HF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

ee	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%
Phase 1	<b>0.32</b>			<b>23.74</b>			<b>74.34</b>		
Phase 2	<b>0.93</b>			<b>47.20</b>			<b>50.71</b>		
Phase 3	<b>0.55</b>	-0.61	-1.92	<b>35.03</b>	-23.46	-0.99	<b>63.81</b>	23.63	0.32
		-0.23	-0.72		-11.29	-0.48		10.53	0.14
		0.38	0.41		12.17	0.26		-13.10	-0.26

ee	LF/HF	cf 1	cf 2	cf 3
phase 2				
phase 3				
phase 4				

ee	LF	cf 1	cf 2	cf 3
phase 2				



hh										
	LF/HF	Diff	%	LF	Diff	%	HF	Diff	%	
Phase 1										
Phase 2	<b>0.85</b>			<b>44.18</b>			<b>52.17</b>			
	<b>1.39</b>			<b>52.92</b>			<b>38.09</b>			
Phase 3		-0.54	-0.64		-8.74	-0.20		14.08	0.27	
	<b>0.39</b>			<b>27.85</b>			<b>70.47</b>			
		0.46	0.54		16.34	0.37		-18.30	-0.35	
		1.00	0.72		25.08	0.47		-32.38	-0.85	
Phase 4			1.18			0.57			-0.62	
	<b>0.98</b>			<b>45.38</b>			<b>46.47</b>			
		-0.13	-0.15		-1.20	-0.03		5.70	0.11	
		0.41	0.30		7.54	0.14		-8.38	-0.22	
			0.49			0.17			-0.16	
		<b>-0.59</b>	<b>-1.49</b>		<b>-17.54</b>	<b>-0.63</b>		<b>24.00</b>	<b>0.34</b>	
			<b>-0.69</b>			<b>-0.40</b>			<b>0.46</b>	

